

A close-up, high-angle shot of the American flag, showing the blue field with white stars and the red and white stripes. The flag is draped and slightly wrinkled, set against a dark, textured background.

**AMERICAN  
MADE  
TOUGH.**



**Bulldog**  
HOSE COMPANY



# PERFORMANCE FIREFIGHTERS DEPEND ON.

## American Made Tough.

Bulldog Hose Company, part of Puck Enterprises, is a legend in firefighting hose technology. With a commitment to firefighters that is unparalleled, Bulldog is at the forefront of fire hose design and construction. From our earliest hose to Hi-Combat® II, Firepower™ II, Hi-Vol and Ultima, our dedication to constant research and development has positioned us as a premier innovator in fire hose products. Bulldog, the hose of choice for the majority of fire departments throughout the USA, has come to stand for high performance, durability and safety, with American-made products that are built to last. Bulldog is a quality manufacturer of firefighting hose and flexible pipeline systems.



**Bulldog's Industrial Hose**  
**Two-Year Warranty**  
[bulldoghose.com/resources](http://bulldoghose.com/resources)



**Bulldog's Municipal Fire Hose**  
**Ten-Year Warranty**  
[bulldoghose.com/resources](http://bulldoghose.com/resources)





# SETTING THE STANDARD FOR EXCELLENCE.



## HI-COMBAT II®

Ultimate Aggressive Interior Attack Fire Hose

Hi-Combat II® is the ultimate in firefighting hose technology for aggressive interior combat operations. Its unique design gives combat firefighters the performance, flexibility, and endurance to deal with the toughest challenges. A special weave, high-tech nylon-polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability.



**Excellent Kink Resistance & Lowest Drag Coefficiency** >>

**Superior Abrasion Performance** 🛡️

**Anti-Burst Technology With a 1/2" Hole** 🔧

**Chemical & Water Resistant Liner** 🚒

**Excellent Heat & Cold Resistance** 🔥



Size	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
	Service	Proof	Burst	inch	lbs	kg		inch	mm		
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs	kg	inch	mm			
1-3/4 45 (ULC)	500 3500	1000 7000	1500 10500	2-1/8	18	8.1	16.5	419			
2 50	500 3500	1000 7000	1500 10500	2-3/8	20	9.07	17.5	445			
2-1/2 65 (ULC)	500 3500	1000 7000	1500 10500	2-7/8	23	10.4	18.5	470			



**American Made Tough.** 3

# SUPERIOR PERFORMANCE.

## FIREPOWER II™

Aggressive Interior Attack Fire Hose

Firepower II™ is an extremely durable double-jacketed hose made from a high-tech nylon-polyester outer jacket, with durability and flow that make it an invaluable firefighting tool. This product has excellent packing capabilities for a premium hose and improves hose-handling applications with an easy-to-grip material.



**Unrivaled Kink Resistance** 



**Superior Abrasion Performance** 

**Significantly Reduces Drag** 

**Superior Water Resistant Outer Jacket** 

**Six Times More Heat Resistance** 



Size	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)	
	Service	Proof	Burst	inch	lbs	mm				
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs	kg	inch	mm		
1-3/4 45 	500 3500	1000 7000	1500 10500	2-1/8	18	8.1	16.5	419		
2 50	500 3500	1000 7000	1500 10500	2-3/8	20	9.1	17.5	445		
2-1/2 65 	500 3500	1000 7000	1500 10500	2-7/8	23	10.4	18.5	470		

# ENGINEERED FOR DURABILITY AND FLEXIBILITY.



## ULTIMA™

Double Jacket Rubber-Lined Attack Fire Hose

BullDog Ultima™ is a durable, double-jacketed hose, constructed with staple-polyester, both warp and filler, and lined with a high-tech EPDM tube. Its engineered design, for 75 PSI and higher nozzle applications, guarantees minimum weight with maximum durability and packability with minimal friction loss. The standard color for Ultima Hose is white. Other colors available with our innovative Armour Jacket abrasion-resistant coatings are red, yellow, blue, black, green, tan, orange.



**Unrivaled Kink Resistance** 

**Superior Abrasion Performance** 

**Lightweight, Durable & Flexible** 

**Superior Water Resistant Outer Jacket** 

**Excellent Heat & Cold Resistance** 




Size	Standard color	Pressure				Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)		
		Service		Proof			Burst		lbs	kg	inch
inch mm		psi	kpa	psi	kpa	psi	kpa			inch	mm
1-1/2 38 (ULC)	White	400	2800	800	5600	1200	8400	1-15/16	13 5.9	18	457
1-3/4 45 (ULC)	White	400	2800	800	5600	1200	8400	2-1/8	15 6.8	18	457
2 50	White	400	2800	800	5600	1200	8400	2-2/5	17 7.7	19	483
2-1/2 65 (ULC)	White	400	2800	800	5600	1200	8400	3	22 10.0	21	533
3 75	White	400	2800	800	5600	1200	8400	3-1/2	29 13.2	21	533



**American Made Tough.** 5



# LIGHTWEIGHT. COMPACT. DURABLE.



## HI-VOL®

Large Diameter Supply Hose

Hi-Vol® is a tough supply hose that maintains excellent water flow. It is the premium extruded-through-the-weave, large-diameter, nitrile-rubber hose with the ability to deliver more water. This supply hose is compact and durable with a high resistance to oils, chemicals, UV and ozone. A tough, high-tensile cover and lining, permanently interlocked with the synthetic reinforcement, provides greater abrasion and puncture resistance, along with unmatched kink resistance.





**Superior Efficiency,  
Delivers More GPM** 

**Superior Abrasion  
Performance** 


**Lightweight  
& Flexible,  
Easy to Handle** 

**Smooth Inner  
Liner Reduces  
Friction Loss** 



Size	Standard color	Pressure				Bowl Size	Weight (100'/30M)		Coil Diameter (100'/30M)		
		Service		Proof			Burst		lbs	kg	inch
inch mm		psi	kpa	psi	kpa	psi	kpa			inch	mm
3 75	Yellow/Red	300	2100	600	4200	900	6300	3-5/16	60 27.2	25	635
4 100 	Yellow/Red	225	1575	450	3150	675	4725	4-5/32	84 38.1	24	610
5 125 	Yellow/Red	200	1400	400	2800	600	4200	5-3/8	104 47.2	27	686
6 150	Yellow	200	1400	400	2800	600	4200	6-15/32	148 67.1	32	813

# IMPROVED PACKABILITY, HI-VISIBILITY.



**Ultra Lightweight  
& Compact** >>

**Superior Abrasion  
Performance** 🛡️

**TPU Construction  
and Ultra-Smooth  
Liner Reduces  
Friction Loss** <<

## HI-VOL TPU™

Large Diameter Supply Hose

Hi-Vol TPU™ is an extruded-through-the-weave TPU hose that provides excellent abrasion resistance, reduced weight, and improved kink resistance in comparison to rubber, as well as UV and ozone resistance. The smooth finish allows for easier deployment and retrieval. Hi-Vol TPU is the next generation of supply hose.



Size	Pressure						Bowl Size	Weight (100'/30M)	Coil Diameter (100'/30M)
	Service		Proof		Burst				
inch mm	psi kpa	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm		
4 100	200 1400	400 2800	600 4200	4-5/16	75 34.0	22 560			
5 125	200 1400	400 2800	600 4200	5-3/8	94 42.6	26 660			



**American Made Tough.** 7

# HIGH RESISTANCE. LOW MAINTENANCE.



## FLOMASTER™

Rubber Covered Lightweight Attack and Supply Fire Hose

BullDog FloMaster™ is a lightweight hose with Nitrile/PVC through-the-weave rubber covered construction. It's design gives high resistance to oil, gasoline, and a wide range of chemicals with no maintenance or drying required. FloMaster is available in red, yellow, and orange.



**Superior Abrasion Performance** 

**Lightweight, Durable & Flexible** 

**Chemical & Water Resistant Liner** 

**Excellent Heat & Cold Resistance** 

**Minimal Friction Loss** 




Size		Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
			Service		Proof		Burst			lbs	kg	inch	mm
inch	mm		psi	kpa	psi	kpa	psi	kpa	inch			inch	mm
1-1/2	38	Red	300	2100	600	4200	900	6300	1-13/16	16	7.2	18	457
1-3/4	45	Red	300	2100	600	4200	900	6300	2-1/16	19	8.6	18	457



## FLOMASTER™

Size	Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
		Service		Proof		Burst			lbs	kg	inch	mm
inch mm		psi	kpa	psi	kpa	psi	kpa	inch				
2 50	Red	300	2100	600	4200	900	6300	2-3/8	22	10.0	19	483
2-1/2 65	Red	300	2100	600	4200	900	6300	2-7/8	28	12.7	20	508
3 75	Red	250	1800	500	3500	750	5200	3-1/4	29	13.2	20	508
4 100	Red	250	1800	500	3500	750	5200	4-3/8	40	18.1	20	508
5 125	Red	225	1600	450	3150	675	4725	5-3/8	52	23.6	21	533

# VIRTUALLY MAINTENANCE FREE.



## RED/YELLOW CHIEF®

Heavy Duty Attack Hose

BullDog's exclusive heavy-rib outer cover combines with a unique nitrile-PVC rubber through-the-weave construction to provide the backbone of excellent hose performance in Red Chief® and Yellow Chief®. The heavy-rib construction makes the hoses highly resistant to cuts, punctures, and abrasion. Red Chief and Yellow Chief are ideally suited to meet the specifications and tough demands of most municipal fire departments. Agency approvals by UL, ULC, or FM are available on select sizes and colors, inquire for details.



**Unrivaled Kink Resistance** 




**Superior Abrasion Performance** 

**Lightweight & Flexible, Reduces Drag** 

**Anti-Burst Technology With a 1/2" Hole** 

**Excellent Heat & Cold Resistance** 



Size	Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
		Service		Proof		Burst			lbs	kg	inch	mm
inch mm		psi	kpa	psi	kpa	psi	kpa	inch				
1-1/2 38 	Red/Yellow	300	2100	600	4200	900	6300	1-13/16	14	6.4	14-3/4	375
1-3/4 45 	Red/Yellow	300	2100	600	4200	900	6300	2-1/16	18	8.2	14-3/4	375
2 50	Red/Yellow	300	2100	600	4200	900	6300	2-5/16	22	10.0	16	406
2-1/2 65 	Red/Yellow	300	2100	600	4200	900	6300	2-7/8	26	11.8	16-1/2	419
3 75	Red/Yellow	300	2100	600	4200	900	6300	3-13/32	30	13.6	16-1/2	419

# HIGH-RISE PERFORMANCE.

## HI-POWER™

High-Rise Fire Hose

High-rise firefighting has unique tactical and equipment requirements. While weight is important, functionality and ease of use are far more important. Reliable hose performance is crucial in high-rise environments, and Hi-Power™ delivers. Engineered by BullDog, Hi-Power is an ultra-lightweight, maneuverable, nitrile-rubber hose designed specifically for fighting fires in high-rise buildings.



**Chemical & Water Resistant Liner** 

**Superior Abrasion Performance** 




**Unrivaled Kink Resistance** 

**Lightweight, Durable & Flexible** 

**Excellent Heat & Cold Resistance** 

**Anti-Burst Technology With a 1/2" Hole** 



Size		Standard color	Service	Pressure				Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)		
				Proof	Burst				lbs	kg	inch	mm	
inch	mm		psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
1-1/2	38	Blue 	300	2100	600	4200	900	6300	1-3/4	11	5.0	13	330
1-3/4	45	Blue 	300	2100	600	4200	900	6300	2-1/16	14	6.3	14	356
2	50	Blue	300	2100	600	4200	900	6300	2-5/16	18	8.1	14	356
2-1/2	65	Blue 	300	2100	600	4200	900	6300	2-3/4	20	9.0	15	381



**American Made Tough.** 11



# NEXT LEVEL PERFORMANCE.

## FIREGUARD®

Aggressive Interior Attack Fire Hose

Fireguard™, BullDog's latest innovation, is a premium hose available in 10' lengths that takes your average attack line to the next level. Its unique design gives combat firefighters the performance, flexibility and endurance to deal with the toughest challenges. A special weave, high-tech polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability. It combines higher heat, abrasion and chemical resistance with unmatched kink resistance and superior ease of drag.



**Unrivaled Kink Resistance**

**Superior Abrasion Performance**

**Lightweight, Compact, & Flexible**

**Anti-Burst Technology**

**Excellent Heat & Chemical Resistance**



Size		Pressure				Bowl Size		
		Service	Proof	Burst				
inch	mm	psi	kpa	psi	kpa	inch		
1-3/4	45	500	3500	1000	7000	1500	10500	2-1/8

# LONG-TERM RELIABILITY.

## AQUA GUARD™

Potable Water Hose

A premium flexible layflat hose designed for the transfer of potable water to remote locations that need drinkable water. Aqua Guard™ is NSF61 certified and features a unique “through-the-weave” one piece construction totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for long life and maintenance free service in even the harshest environments. Aqua Guard™ is available in blue and tan.



**Superior Abrasion Performance**



**Lightweight, Durable & Flexible**



**Unrivaled Kink Resistance**



**Low Pressure Loss**



**Resistant to Harsh Environments**



Size	Pressure				Wall Thickness		Weight			
	inch	mm	psi	kpa	psi	kpa	inch	mm	lbs/ft	kg
2	50	300	2100	600	4200	.08	2.03	.21	0.095	
2-1/2	65	300	2100	600	4200	.08	2.03	.30	0.136	
3	75	300	2100	600	4200	.09	2.28	.37	0.168	
*4	100	300	2100	600	4200	.09	2.28	.56	0.254	
6	150	300	2100	600	4200	.1	2.54	1.22	0.553	
7-1/4	184	250	1800	500	3500	.16	4.06	1.89	0.859	
8	200	250	1800	500	3500	.18	4.57	2.1	0.95	
10	250	250	1800	500	3500	.2	5.08	2.85	1.29	

\* NSF-61 Certification not currently available on 4" Aqua Guard.

# RESISTANT TO HARSH ENVIRONMENTS.

## WAT-HOG

Fuel & Water Delivery Hose

A premium flexible layflat hose designed for the transfer of fuel, wastewater, sewer, treated and reclaimed water. WAT-Hog™ features a unique “through-the-weave” one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.



**Superior Abrasion Performance** 

**Lightweight, Durable & Flexible** 

**Unrivaled Kink Resistance** 

**Low Pressure Loss** 

**Resistant to Harsh Environments** 

Size	Pressure		Burst	Wall Thickness	Weight
	Working				
inch mm	psi kpa	psi kpa	psi kpa	inch mm	lbs/ft kg
2 50	300 2100	600 4200	.08 2.03	.21 0.095	
2-1/2 65	300 2100	600 4200	.08 2.03	.30 0.136	
3 75	300 2100	600 4200	.09 2.28	.37 0.168	
4 100	300 2100	600 4200	.09 2.28	.56 0.254	
6 150	300 2100	600 4200	.1 2.54	1.22 0.553	
7-1/4 184	250 1800	500 3500	.16 4.06	1.89 0.859	
8 200	250 1800	500 3500	.18 4.57	2.1 0.95	
10 250	250 1800	500 3500	.2 5.08	2.85 1.29	





# LEGENDARY HOSE TECHNOLOGY.

## Only the best will do

For those who risk their lives to protect others, only the best will do. We are proud that firefighters across North America trust our products to enable them to do their job in the face of danger.

BullDog has a wide range of hoses for safely tackling every type of fire or task—and newer, even more effective methods are being developed every day.

Contact us today for more info:

P 712.655.9201

TF 833.655.9201

[bulldogsales@bulldoghose.com](mailto:bulldogsales@bulldoghose.com)



We also carry a large variety of couplings for all your needs. Please consult your dealer for all available options.



**Visit us online!**  
Keep up with BullDog at  
[www.bulldoghose.com](http://www.bulldoghose.com)





**Bulldog Hose Company** · 141 Junny Rd. · Angier, NC 27501 · P 712.655.9201 · T 833.655.9201 · [bulldogsales@bulldoghose.com](mailto:bulldogsales@bulldoghose.com) · [bulldoghose.com](http://bulldoghose.com)

*A proud product of **PUCK™** ENTERPRISES.*

Bulldog Hose Company maintains ongoing product improvement and development programs. Therefore Bulldog reserves the right to modify any product or specification without prior notice. If necessary, please contact Bulldog Hose Company customer service to ensure that all claims and technical data are current.