



Bulldog
HOSE COMPANY

PRODUCT LINEUP

BULLDOG HOSE COMPANY



BullDog Hose Company, a proud Puck brand, manufactures American-made hose solutions engineered for performance and reliability. From large diameter supply lines to advanced designs like Hi-Combat, BullDog delivers the toughness, flexibility, and innovation needed to perform in the most demanding environments. Our dedication to constant research and development has positioned us a premier innovator of hose products across multiple industries. From agricultural hoses for liquid manure transport, to industrial hoses for sewage, fuel, and firefighting, BullDog hoses are a reliable addition to your operation.




AMERICAN MADE TOUGH.



X24 DRAG HOSE



X24 DRAG HOSE



Sludge Injection Drag Hose

BullDog X24 is a high performance flexible lay flat hose for sludge injection and transfer of slurries, liquid manure and municipal sludge. Designed for both continuous and intermittent operation at high working pressures. X24's through-the-weave manufacturing technique prevents delamination and results in a much lower friction loss than aluminum or PVC pipe, reducing pumping costs. Swells in diameter enabling fluids to be pumped further and at higher flow rates. Raw materials, components and finished products are rigorously tested and inspected to ensure excellent product reliability.

Superior Abrasion Performance 

Increased Visibility 

Extreme Durability 

Resistant to Harsh Environments 


Pressure

Size	Working		Burst		End Tensile Strength		Wall Thickness		Weight		
	inch	mm	psi	kpa	psi	kpa	lbs	kg	inch	mm	lbs/ft
5	125	250	1,724	500	3,447	40,000	18,144	0.150	3.81	1.15	0.52
5-1/2	140	250	1,724	500	3,447	46,000	20,865	0.155	3.94	1.33	0.60
6	150	250	1,724	500	3,447	64,000	29,029	0.200	5.08	1.95	0.88
7-1/4	184	250	1,724	500	3,447	70,000	31,751	0.220	5.59	2.50	1.13

MAINLINE



MAINLINE



Lay-Flat Agricultural Hose

BullDog Mainline is a flexible lay-flat hose with a wide diameter which ensures that your operation moves liquid as efficiently as possible. Featuring a unique through-the-weave one-piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for a long life and maintenance-free service – in even the toughest field conditions. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the line and eliminates expensive path cutting work.

High Kink Resistance



Low Operating Costs



Extreme Durability



Resistant to Harsh Environments



Pressure

Size		Working		Burst		End Tensile Strength		Wall Thickness		Weight	
inch	mm	psi	kpa	psi	kpa	lbs	kg	inch	mm	lbs/ft	kg
8	203	250	1,724	500	3,447	80,000	36,287	0.18	4.57	2.25	1.02
10	254	250	1,724	500	3,447	96,000	43,545	0.20	5.08	2.85	1.29

AIR RAID



AIR RAID



Lay Flat Air Hose

BullDog's Air Raid hose is a lay-flat hose designed for improved handling and long-term service. Air Raid features a through the weave nitrile-PVC rubber hose encapsulated by a high-tech nylon-polyester outer jacket with standard four lug couplings that provide a simple connection with a press and twist motion. Air Raid offers excellent packability and superior kink resistance. After you use Air Raid, you will never want to go back to your old-style air hose again.

Superior Abrasion Performance 

Increased Visibility 

Deploy Quickly 

Increased Air Volume Delivered 

Excellent Service Life 

Internal Diameter		Standard Color	Pressure				Weight	
			Max Working		Burst			
inch	mm		psi	bar	psi	bar	lbs/ft	kg/m
2	50.0	Yellow	150	10.3	1,500	103.4	0.45	0.67

* Air Raid is available in 25' or 50' lengths.

HI-COMBAT®





HI-COMBAT®



Ultimate Aggressive Interior Attack Hose

Hi-Combat® is the ultimate in firefighting hose technology for aggressive interior combat operations. Its unique design gives combat firefighters the performance, flexibility, and endurance to deal with the toughest challenges. A special weave, high-tech nylon-polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability.

Superior Abrasion Performance



Unmatched Kink Resistance & Lowest Drag Coefficiency



Anti-Burst Technology With a 1/2" Hole



Superior Heat & Cold Resistance



Designed for Low Pressure, High Volume Nozzles



Size	Pressure						Bowl Size	Weight (50'/15M)	Coil Diameter (50'/15M)		
	Service		Proof		Burst						
inch mm	psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
1-3/4 45	500	3,500	1,000	7,000	1,500	10,500	2-1/8	18	8.10	16.5	419
2 50	500	3,500	1,000	7,000	1,500	10,500	2-3/8	20	9.07	17.5	445
2-1/2 65	500	3,500	1,000	7,000	1,500	10,500	2-7/8	23	10.4	18.5	470

* Hi-Combat® is available in 50' or 100' lengths.

FIREPOWER





FIREPOWER

Aggressive Interior Attack Hose

Firepower is an extremely durable double-jacketed hose made from an all polyester outer jacket protected by our Armour Jacket coating and lined with our one-piece, extruded through-the-weave inner hose. This attack hose combines excellent packing and handling characteristics with strong kink resistance and flow performance. Available colors are red, yellow, orange, blue, green, and tan.

Excellent Kink Resistance 

Reduced Friction Loss 

Designed for All Nozzle Applications 

Anti-Whip Technology 

Improved Outer Jacket 

Size	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
	Service	Proof	Burst					lbs	kg	inch	mm
inch mm	psi kpa	psi kpa	psi kpa			inch					
1-3/4 45	400 2,758	800 5,516	1,200 8,274			2-1/8	20	9.0	17.0	432	
2 50	400 2,758	800 5,516	1,200 8,274			2-3/8	22	10.0	18.0	457	
2-1/2 65	400 2,758	800 5,516	1,200 8,274			2-7/8	26	11.7	19.0	483	

* Firepower is available in 50' or 100' lengths.

ULTIMA



ULTIMA



Double Jacket Rubber-Lined Attack Hose

BullDog Ultima is a durable, double-jacketed hose constructed with staple-polyester, both warp and filler, and lined with a high-tech EPDM tube. Its engineered design guarantees minimum weight with maximum durability and packability with minimal friction loss. Available with Armour Jacket coatings in red, yellow, orange, blue, green and tan.

**Reverse Twill
Smooth Inner Liner** 

**Lightweight,
Durable & Flexible** 

**Designed for
Higher Nozzle
Pressures** 

**Excellent Heat &
Cold Resistance** 

**Water Resistant
Jacket** 

Size	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
	Service		Proof		Burst			lbs	kg	inch	mm
inch mm	psi	kpa	psi	kpa	psi	kpa	inch			inch	mm
1-1/2 38	400	2,800	800	5,600	1,200	8,400	1-15/16	17.5	7.9	18	457
1-3/4 45	400	2,800	800	5,600	1,200	8,400	2-1/8	22	10.0	18	457
2 50	400	2,800	800	5,600	1,200	8,400	2-7/16	26	11.8	20	508
2-1/2 65	400	2,800	800	5,600	1,200	8,400	3	30	13.6	21	533
3 75	400	2,800	800	5,600	1,200	8,400	3-1/2	34.5	15.6	21	533

* Ultima is available in 50' or 100' lengths.

RED CHIEF® / YELLOW CHIEF



RED CHIEF® / YELLOW CHIEF



Heavy Duty Attack Hose

BullDog's exclusive heavy-rib outer cover combines with a unique nitrile-rubber, PVC-through-the-weave construction to provide the backbone of excellent hose performance in Red Chief® and Yellow Chief. The heavy-rib construction makes the hoses highly resistant to cuts, punctures, and abrasion. Red Chief® and Yellow Chief are ideally suited to meet the specifications and tough demands of most municipal fire departments.

**Designed for All
Firefighting Tactics**



**Lightweight,
Durable & Flexible**



**Excellent Working
Temperature
Range**



**Puncture
Resistant Design**



**Excellent Kink
Resistance**



Size		Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
			Service		Proof		Burst			lbs	kg	inch	mm
inch	mm		psi	kpa	psi	kpa	psi	kpa	inch			inch	mm
1-1/2	38	Red/Yellow	300	2,100	600	4,200	900	6,300	1-13/16	12	5.4	14.75	375
1-3/4	45	Red/Yellow	300	2,100	600	4,200	900	6,300	2-1/16	16	7.3	14.75	375
2	50	Red/Yellow	300	2,100	600	4,200	900	6,300	2-5/16	20	9.1	16	406
2-1/2	65	Red/Yellow	300	2,100	600	4,200	900	6,300	2-7/8	23	10.4	16.5	419
3	75	Red/Yellow	250	1,724	500	3,447	750	5,171	3-13/32	26	11.8	16.5	419

* Red Chief® and Yellow Chief are available in 50' or 100' lengths.

HI-POWER





HI-POWER



High-Rise Fire Hose

High-rise firefighting has unique tactical and equipment requirements. While weight is important, functionality and ease of use are far more important. Reliable hose performance is crucial in high-rise environments, and Hi-Power delivers. Engineered by BullDog, Hi-Power is an ultra-lightweight, maneuverable, nitrile-rubber hose designed specifically for fighting fires in high-rise buildings.

Designed for High Rise Firefighting



Lightweight, Durable & Flexible



Puncture Resistant Design



Excellent Kink Resistance



Smooth Inner Liner Increases Flow



Size	Standard color	Pressure						Bowl Size	Weight (50'/15M)		Coil Diameter (50'/15M)	
		Service		Proof		Burst			inch	lbs	kg	inch
inch mm		psi	kpa	psi	kpa	psi	kpa	inch	lbs	kg	inch	mm
1-1/2 38	Blue	300	2,100	600	4,200	900	6,300	1-3/4	11	5.0	13	330
1-3/4 45	Blue	300	2,100	600	4,200	900	6,300	2-1/16	14	6.3	14	356
2 50	Blue	300	2,100	600	4,200	900	6,300	2-5/16	15	6.8	14	356
2-1/2 65	Blue	250	1,724	500	3,447	750	5,171	2-3/4	20	9.0	15	381

* Hi-Power is available in 50' or 100' lengths.

HI-VOL TPU AND XLDH



HI-VOL TPU AND HI-VOL TPU XLDH



Large Diameter Supply Hose

Hi-Vol TPU is an extruded-through-the-weave TPU hose offering excellent abrasion resistance, reduced weight, improved kink resistance compared to rubber, and strong UV and ozone resistance, with a smooth finish for easier deployment and retrieval. Hi-Vol TPU XLDH delivers extreme performance with a one piece through-the-weave construction, featuring a high-tenacity polyester woven jacket encapsulated in a durable polyurethane cover and lining. It utilizes advanced components to limit elongation and enhance abrasion resistance during operations.

Superior Abrasion Performance 

Lightweight, Durable & Flexible 

TPU Construction and Ultra-Smooth Inner Liner Reduces Friction Loss 

Increased Visibility 

Size	Standard color	Pressure						Bowl Size	Weight (100'/30M)		Coil Diameter (100'/30M)	
		Service		Proof		Burst			inch	lbs	kg	inch
inch mm		psi	kpa	psi	kpa	psi	kpa					
4 100	Orange/Green	200	1,400	400	2,800	600	4,200	4-5/16	75	34.0	22	560
5 125	Orange/Green	200	1,400	400	2,800	600	4,200	5-3/8	94	42.6	26	660
6 152	Orange/Green	200	1,400	400	2,800	600	4,200	6-15/32	125	56.7	32	813

* Hi-Vol TPU is available in 25', 50' or 100' lengths.

Size	Standard color	Pressure				End Tensile Strength	Wall Thickness	Weight (lbs/ft) (kg/ft)			
		Working		Burst				inch	mm	lbs	kg
inch mm		psi	kpa	psi	kpa	lbs	kpa	inch	mm	lbs	kg
7-1/4 184	Green	250	1,724	500	3,448	70,000	31,750	0.220	5.59	2.30	1.04
8 203	Green	250	1,724	500	3,448	92,250	63,600	0.190	4.83	2.21	1.00
10 254	Green	250	1,724	500	3,448	114,300	78,800	0.195	4.95	2.90	1.32

* Hi-Vol TPU XLDH is available in 660' lengths.

HI-VOL[®]





Large Diameter Supply Hose

Hi-Vol® is a tough supply hose that maintains excellent water flow. It is the premium extruded-through-the-weave, large-diameter, nitrile-rubber hose with the ability to deliver more water. This supply hose is compact and durable with a high resistance to oils, chemicals, UV and ozone. A tough, high-tensile cover and lining, permanently interlocked with the synthetic reinforcement, provides greater abrasion and puncture resistance, along with unmatched kink resistance.



Superior Abrasion Performance 

Lightweight, Durable & Flexible 

Smooth Inner Liner Reduces Friction Loss 

Superior Efficiency, Delivers More GPM 

Excellent Low Temperature Performance 

Size	Standard color	Pressure			Bowl Size	Weight (100'/30M)	Coil Diameter (100'/30M)
		Service	Proof	Burst			
inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm
3 76	Yellow/Red	250 1,724	500 3,447	750 5,171	3-5/16	50 22.7	25 635
4 102 	Yellow/Red	250 1,724	500 3,447	750 5,171	4-5/16	68 30.8	24 610
5 127 	Yellow/Red	225 1,551	450 3,103	675 4,654	5-3/8	101 45.8	27 686
6 152	Yellow	225 1,551	450 3,103	675 4,654	6-15/32	120 54.4	32 813

* Hi-Vol® is available in 25', 50' or 100' lengths.

HD FUEL HOSE



HD FUEL HOSE



Industrial Water and Fuel Transport Hose

BullDog's HD Fuel Hose is an ultra-premium lay-flat hose designed to transfer fuel in the harshest conditions. HD Fuel Hose features a through-the-weave one-piece jacket construction with a circular-woven, high-tenacity polyester reinforcement that is completely protected with a tough elastomeric polyurethane cover and lining. This re-engineered hose is designed to provide maintenance free performance. Setting it apart from the standard fuel hose, HD Fuel Hose is manufactured with a harder plastic to resist abrasion in all environments and intended to withstand the most demanding conditions.

Superior Abrasion Resistance 

Minimal Swell Under Pressure 

High Tensile Strength 

Excellent Heat and Cold Resistance 

Increased Working Pressure 

Size	Pressure				Wall Thickness	Weight
	Working		Burst			
inch mm	psi	kpa	psi	kpa	inch mm	lbs/ft kg
8 203	300	2,068	600	4,136	.19 4.83	2.25 1.021

FUEL HOSE



FUEL HOSE



Industrial Water and Fuel Transport Hose

BullDog Fuel Hose is a premium lay-flat hose designed to transfer fuel or potable water that is a trusted fuel-delivery hose for all branches of the military. Fuel Hose features a through-the-weave one-piece construction, with a circular-woven, high-tenacity polyester reinforcement that is completely protected with a tough elastomeric polyurethane cover and lining. The hose is designed for long life and maintenance-free service in the toughest situations. In one of the hardest environments, it's been in service for more than 25 years.

Superior Abrasion Performance 

Low Operating Costs 


Extreme Durability 

Excellent Heat & Cold Resistance 

MIL-SPEC Certified 

Size	Pressure				Wall Thickness	Weight
	Working		Burst			
inch mm	psi	kpa	psi	kpa	inch mm	lbs/ft kg
2 51	300	2,068	600	4,137	.085 2.16	0.25 0.113
2-1/2 64	300	2,068	600	4,137	.095 2.41	0.37 0.168
3 76	300	2,068	600	4,137	.102 2.59	0.56 0.254
4 102	300	2,068	600	4,137	.125 3.18	0.80 0.363
6 152	300	2,068	600	4,137	.140 3.56	1.25 0.567
8 203	250	1,724	500	3,447	.180 4.57	2.15 0.975
10 254	250	1,724	500	3,447	.185 4.70	2.80 1.270

CHILLER HOSE



CHILLER HOSE



Fuel Transfer Hose

BullDog premium lay-flat thermoplastic extruded through-the-weave Chiller Hose is lightweight and flexible. Chiller Hose is easy to manage, offers a long service life, and requires less storage space. The thermoplastic polyurethane provides exceptional abrasion and chemical resistance, and the high-strength woven reinforcement offers the high strength and flexibility needed for rental chiller installations. We have been the trusted supplier to some of the largest rental chiller outfits in the country, and with our experience, we can customize assemblies to meet your needs.

Low Operating Costs 

Extreme Durability 

Excellent Heat & Cold Resistance 

Lightweight Construction 

Long Service Life 

Size		Pressure		Wall Thickness		Weight			
		Working	Burst						
inch	mm	psi	kpa	psi	kpa	inch	mm	lbs/ft	kg
2	51	300	1,379	600	4,137	.085	2.16	0.25	0.113
2-1/2	64	300	1,379	600	4,137	.095	2.41	0.37	0.168
3	76	300	1,379	600	4,137	.102	2.59	0.56	0.254
4	102	300	1,379	600	4,137	.125	3.18	0.80	0.363
6	152	300	1,379	600	4,137	.140	3.56	1.25	0.567
7-1/4	184	250	1,034	500	3,447	.190	4.83	1.90	0.862
8	203	250	1,034	500	3,447	.180	4.57	2.15	0.975
10	254	250	1,034	500	3,447	.185	4.70	2.80	1.270

WAT-HOG



WAT-HOG



Fuel & Water Delivery Hose

A premium flexible layflat hose designed for the transfer of fuel, wastewater, sewer, treated, and reclaimed water; WAT-Hog features a unique through-the-weave one-piece construction, comprising a circular woven high-tenacity polyester reinforcement, totally encapsulated in a tough elastomeric polyurethane cover and lining.

Superior Abrasion Performance



Lightweight, Durable & Flexible



Low Pressure Loss



Resistant to Harsh Environments



Unrivaled Kink Resistance



Size		Standard Color	Pressure				Thickness		Weight	
			Working		Burst					
inch	mm		psi	kpa	psi	kpa	inch	mm	lbs/ft	kg
2	51	Blue/Tan/Orange	300	2,100	600	4,200	.08	2.03	0.21	0.095
2-1/2	64	Blue/Tan/Orange	300	2,100	600	4,200	.08	2.03	0.30	0.136
3	74	Blue/Tan/Orange	300	2,100	600	4,200	.09	2.28	0.37	0.168
4	102	Blue/Tan/Orange	300	2,100	600	4,200	.09	2.28	0.56	0.254
6	152	Blue/Tan/Orange	300	2,100	600	4,200	.13	3.43	1.25	0.567
7-1/4	184	Blue/Tan/Orange	250	1,800	500	3,500	.16	4.06	1.89	0.859
8	200	Blue/Tan/Orange	250	1,800	500	3,500	.18	4.57	2.10	0.950
10	250	Blue/Tan/Orange	250	1,800	500	3,500	.20	5.08	2.85	1.290

AQUA GUARD





AQUA GUARD

Potable Water Hose

A premium flexible layflat hose designed for the transfer of potable water to remote locations, new developments or any temporary lines that need drinkable water. Aqua Guard is NSF61 certified and features a unique through-the-weave one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining. High flexibility and kink resistance allows natural ground contours to be followed without putting stress on the pipeline and eliminates expensive path cutting work. Aqua Guard is available in blue and tan.

American Made 

Low Operating Costs 

Extreme Durability 

Easy To Store and Transport 

NSF61 Certified 

Pressure

Size		Working		Burst		Thickness		Wall Weight	
inch	mm	psi	kpa	psi	kpa	inch	mm	lbs/ft	kg
2	51	300	2,100	600	4,200	.08	2.16	0.21	0.095
2-1/2	64	300	2,100	600	4,200	.08	2.41	0.30	0.136
3	76	300	2,100	600	4,200	.09	2.59	0.37	0.168
4	102	300	2,100	600	4,200	.09	3.18	0.56	0.254
6	152	300	2,100	600	4,200	.13	3.43	1.25	0.567
7-1/4	184	250	1,800	500	3,500	.16	4.83	1.89	0.859
8	200	250	1,800	500	3,500	.18	4.57	2.10	0.950
10	250	250	1,800	500	3,500	.20	4.70	2.85	1.290

MISSION, VISION & ISO



MISSION

We strive to create wealth and a higher quality of life for our team, our customers, and our community.

We do this by...

- ▶ Creating products, services, and jobs
- ▶ Creating an atmosphere that supports happiness and longevity
- ▶ Believing hard work leads to rewards and satisfaction- the key ingredients to an enriched quality of life

VISION

We believe we can lead the industries we serve by creating innovative solutions with positive applications and effects.

That takes...

- ▶ **Teamwork**
- ▶ **Innovation**
- ▶ **Enjoyment**

ISO 9001:2015

Puck has produced a quality management system compliant with ISO 9001:2015 standards.

By establishing the Puck Quality Management System, Puck has established internal standards to achieve improved customer and employee satisfaction. The standards set by ISO 9001 ensures that Puck is able to measure ourselves and our processes to ensure that we are performing our best.

PROUDLY AMERICAN MADE

In the land of the free Puck is built to lead. Our products are proudly hand-crafted in the heart of this great country—in the very town our company was founded over 45 years ago. We utilize only the best materials from the ground up to keep your operation running strong year after year.



MANNING

1110 100th St
Manning, IA
712.655.9200

DUBUQUE

10166 Hartbecke Rd
Suite B - Farley, IA
712.655.9203

AURORA

3626 State Route 90
Aurora, NY
712.655.9206

INTERNATIONAL

Vukovarska 229 C
31000 Osijek ·
Croatia
+ 385 31 659 229

ANGIER

*Bulldog Hose
Company*
141 Junny Rd
Angier, NC
712.655.9201

DOTHAN

U.S. Coupling
1134 North Range St
Dothan, AL
888.447.6441

WORTHING

47086 Pioneer St
Worthing, SD
712.655.9202

Follow us on social media





Puck 712.655.9201 puck.com

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.